

	Type	L #	ts	Search Text	DBs	Time Stamp
1	BRS	L1	68721	(dataset or data-set or (data adj set))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:43
2	BRS	L4	0	3 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:24
3	BRS	L6	1	3 and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:14
4	BRS	L5	87	3 and structure	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:22
5	BRS	L7	5	5 and substantive	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:17

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L8	1	5 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:42
7	BRS	L9	1	3 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:51
8	BRS	L10	134	1 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:27
9	BRS	L11	8	10 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:19
10	BRS	L12	197	1 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:21

	Type	L #	ts	Search Text	DBs	Time Stamp
11	BRS	L13	25	12 and SQL! and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:19
12	BRS	L14	896	1 and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:21
13	BRS	L15	4	14 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:21
14	BRS	L16	4406	1 same structure	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:23
15	BRS	L17	13	16 same (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:25

	Type	L #	ts	Search Text	DBs	Time Stamp
16	BRS	L18	33	16 and 3	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:31
17	BRS	L19	70	3 and distance	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:32
18	BRS	L20	20	3 and (computing or computed or computes or compute or computable or calculat\$6) near5 distance	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:44
19	BRS	L21	247	1 and distance adj (metric or metrix\$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:55
20	BRS	L22	1	21 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:34

	Type	L #	ts	Search Text	DBs	Time Stamp
21	BRS	L23	44	21 and (dataset or data-set or (data adj set) or multiset or multi-set) same structure	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:24
22	BRS	L24	0	22 and 23	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:44
23	BRS	L25	21	23 and (computing or computed or computes or compute or computable or calculat\$6) near5 distance	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:55
24	BRS	L26	74	((quanlity adj service) or QoS!) and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:06
25	BRS	L27	68938	(dataset or data-set or (data adj set) or multiset or multi-set)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:53

	Type	L #	ts	Search Text	DBs	Time Stamp
26	BRS	L28	160637 3	(distance or (distance adj (metric or metrix\$5)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:55
27	BRS	L29	17902	27 and 28	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:55
28	BRS	L30	2380	27 same 28	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:55
29	BRS	L31	840	30 and (computing or computed or computes or compute or computable or calculat\$6) near5 distance	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:03
30	BRS	L32	0	31 and 26	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 11:56

	Type	L #	ts	Search Text	DBs	Time Stamp
31	BRS	L33	2	31 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:23
32	BRS	L34	12	31 and SQL! and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:00
33	BRS	L35	15	31 and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:01
34	BRS	L36	54	31 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:25
35	BRS	L37	272	30 and ((computing or computed or computes or compute or computable or calculat\$6) near3 distance) same (dataset or data-set or (data adj set) or multiset or multi-set)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:04

	Type	L #	ts	Search Text	DBs	Time Stamp
36	BRS	L38	316	30 and ((computing or computed or computes or compute or computable or calculat\$6) near3 distance) same (dataset or data-set or (data adj set) or multiset or multi-set or structure)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:10
37	BRS	L39	272	37 and 38	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:06
38	BRS	L40	0	39 and ((quanlity adj service) or QoS!) and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:28
39	BRS	L41	17	39 and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:07
40	BRS	L42	7	3 and ((computing or computed or computes or compute or computable or calculat\$6) near2 distance) same (dataset or data-set or (data adj set) or multiset or multi-set or structure)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:15



	Type	L #	ts	Search Text	DBs	Time Stamp
41	BRS	L43	1	3 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance adj (metric or metrix\$4))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:25
42	BRS	L44	132	(computing or computed or computes or compute or computable or calculat\$6) near2 (distance adj (metric or metrix\$4))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:16
43	BRS	L45	9	44 and (dataset or data-set or (data adj set) or multiset or multi-set) same structure	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:18
44	BRS	L46	28	44 and (dataset or data-set or (data adj set) or multiset or multi-set)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:19
45	BRS	L47	0	46 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
46	BRS	L48	0	46 and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:24
47	BRS	L49	1	3 and clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:24
48	BRS	L50	134	1 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:24
49	BRS	L51	109	50 and 707/\$.ccls.	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:25
50	BRS	L53	3	51 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 12:27

	Type	L #	ts	Search Text	DBs	Time Stamp
51	BRS	L54	17	5 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:28
52	BRS	L55	4	50 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:28
53	BRS	L56	0	50 and ((quanlity adj service) or QoS!) and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:29
54	BRS	L57	8	50 and (((quanlity adj service) or QoS!) or (best! near match\$4))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:29
55	BRS	L58	4	50 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:42

	Type	L #	ts	Search Text	DBs	Time Stamp
56	BRS	L59	12	50 and (compar\$6 or match\$5) near9 (distance or dataset or data-set or (data adj set) or multiset or multi-set)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:35
57	BRS	L60	15	50 and (compar\$6 or match\$5) near9 (distance or metrix\$4 or metric or dataset or data-set or (data adj set) or multiset or multi-set)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:36
58	BRS	L52	18	3 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:41
59	BRS	L61	197	1 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:23
60	BRS	L62	7	61 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:26

	Type	L #	ts	Search Text	DBs	Time Stamp
61	BRS	L63	13	3 and ((dataset or data-set or (data adj set)) with structure)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:48
62	BRS	L64	2002	1 and ((dataset or data-set or (data adj set)) with structure)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:19
63	BRS	L66	59	64 and (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:50
64	BRS	L67	4	3 and distance adj (metric or metrix\$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:57
65	BRS	L68	74	3 and (distance or metric or metrix\$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 12:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
66	BRS	L3	130	1 same (best! near match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:15
67	BRS	L69	79	3 not @ad>19981231	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:01
68	BRS	L70	19	1 and (structure with (best! near match\$4))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:17
69	BRS	L71	58	64 and (best! adj match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:20
70	BRS	L72	0	71 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
71	BRS	L73	629	(dataset or data-set or (data adj set) or multiset or multi-set) and structure and (best! adj match\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:25
72	BRS	L74	1	73 and ((quantity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:28
73	BRS	L75	0	74 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:26
74	BRS	L76	119	73 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:29
75	BRS	L77	0	76 and SQL! same clause	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TDB	2003/04/28 13:27

	Type	L #	ts	Search Text	DBs	Time Stamp
76	BRS	L78	14	76 and (SQL! or clause)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:27
77	BRS	L79	197	1 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:28
78	BRS	L80	8	1 same ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:29
79	BRS	L81	197	1 and ((quanlity adj service) or QoS!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:29
80	BRS	L82	7	81 and (computing or computed or computes or compute or computable or calculat\$6) near2 (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:30



	Type	L #	ts	Search Text	DBs	Time Stamp
81	BRS	L83	83	81 and (distance or metric or metrix\$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/04/28 13:30